



# STUCCO ORO/ARGENTO and STUCCO BRONZO/OTTONE



Stucco finish with a metallic spatula effect for interior wall surfaces

technical data sheet 4/S/RI October 2011

**RIALTO STUCCO ORO/ARGENTO/BRONZO/OTTONE** is a smooth, shiny resin-based finish created with a spatula.

## PROPERTIES

- good adhesion
- not prone to shrinkage
- ready-to-use
- resistant to washing

## PURPOSES

**RIALTO STUCCO ORO/ARGENTO/BRONZO/OTTONE** is ideal for giving walls a soft spatula effect with elegant shades of either metallic gold, silver, bronze or brass.

Depending on the desired finish, **RIALTO STUCCO ORO/ARGENTO/BRONZO/OTTONE** can be applied over **RIALTO EVOLUTION** or **RIALTO VENEZIANO**.

*Antonio Robles Location: San Juan Capistrano, California*



**EVOLUTION 241 with STUCCO BRONZO**

## WORKING INSTRUCTIONS

- clean the surfaces to be coated, removing any loose material and filling in where necessary
- apply a coat of **RIALTO FINISH**, diluted with 15% water
- apply a thin coat of **RIALTO EVOLUTION** with a chrome trowel, leaving a layer of about 0.3 mm in thickness
- after the surface has dried (usually **6 hours**), apply another coat of **RIALTO EVOLUTION** with a chrome trowel or spatula without polishing
- apply one or two coats of **RIALTO STUCCO ORO/ARGENTO/BRONZO/OTTONE** using the traditional Venetian spatula technique (allow **1 hour** before applying next coat)
- wipe down with a soft cloth to remove excess material and to obtain the desired effect
- **RIALTO STUCCO ORO** is typically applied over **RIALTO EVOLUTION 321**  
**RIALTO STUCCO ARGENTO** is typically applied over **RIALTO EVOLUTION 204**  
**RIALTO STUCCO BRONZO** is typically applied over **RIALTO EVOLUTION 241**  
**RIALTO STUCCO OTTONE** is typically applied over **RIALTO EVOLUTION 448**
- apply only when temperature is above 41°F (5°C) and not exceeding 86°F (30°C)
- store the product in the container at temperatures above 41°F (5°C) and not exceeding 86°F (30°C)
- check with your local department of environmental quality for disposal requirements and recycle whenever possible

## COVERING CAPACITY

The average covering capacity (full effect) is 200-400 sq. ft. per container.

## PACKAGING

**RIALTO STUCCO ORO/ARGENTO/BRONZO/OTTONE** is available in 375g (13.2 oz.) containers.

## REFERENCES

For further information regarding the product mentioned in the text, see the following technical sheets:

**RIALTO EVOLUTION**  
**RIALTO VENEZIANO**  
**RIALTO FINISH**  
**RIALTO CERA D'ARTE**

Antonio Robles Location: San Juan Capistrano, California



**EVOLUTION 321 with STUCCO ORO**

## VERO

2911 North Orange-Olive Road  
Orange, CA 92865  
714.637.7341  
714.637.7364 Fax  
www.vero-rialto.com



### **Environmental Partnership:**

*Our products were manufactured in an environmentally compatible manner. Vero reminds you to properly handle and dispose of all materials in accordance with regulations established in your area. Caring for our environment is best achieved when we do it together.*